



LED Tube Lights

V-TAC's LED Tube Series fits perfectly into existing linear fixtures, providing better light quality and energy efficiency compared to linear fluorescent systems.

Product Features

- Cost effective, safe retrofit for T8 Tubes
- Perfectly matches with the traditional daylight tube fixture
- Easy Installation
- No Lead or mercury content hence environment friendly
- No Ultraviolet or Infrared rays
- Long lifespan, low maintenance and energy saving
- Available in 60 cm, 120 cm, 150 cm & 180 cm

Applications

Widely used for domestic and commercial lighting, offices, supermarkets, shops, hotels & similar environment.

T8-Nano Plastic-Rotatable-High Lumen-60cm

9W VT-6085

SKU: 6299 - 3000K Warm White 3800157617345

5 YEAR WARRANTY




Dummy Starter Included

EQ. Watts:	25w
Voltage/Frequency:	AC:220-240V,50/60Hz
Luminous Flux:	1100lm
LED Type:	SMD
CRI:	>80



120 ± LUMENS/WATT SUPER EFFICIENT



PF:	>0.5
Beam Angle:	160°
Body Type:	Nano Plastic
Holder:	G13
Instant start :	0-100% in < 1s

On/Off:	>15,000
Life span:	30,000 Hours
Gross weight:	125g
Dimension:	27.9x600mm
Box Qty:	25 Pcs

T8-Nano Plastic-Rotatable-60cm

10w VT-6072-R



SKU: 6229 - 3000K Warm White 3800157605212
SKU: 6231 - 6400K White 3800157605236

3 YEAR WARRANTY



Dummy Starter Included

EQ. Watts:	18w
Voltage/Frequency:	AC:220-240V,50Hz
Luminous Flux:	850lm
LED Type:	SMD
CRI:	>80



PF:	>0.5
Beam Angle:	160°
Body Type:	Nano Plastic
Holder:	G13
Instant start :	0-100% in < 1s

On/Off:	>15,000
Life span:	20,000 Hours
Gross weight:	125g
Dimension:	27.9x600mm
Box Qty:	25 Pcs

T8-Nano Plastic-60cm

10w VT-6072-NR


SKU: 6392 - 3000K Warm White 3800157625296
SKU: 6393 - 4000K Day White 3800157625302
SKU: 6394 - 6400K White 3800157625319

3 YEAR WARRANTY



Dummy Starter Included

EQ. Watts:	18w
Voltage/Frequency:	AC:220-240V,50Hz
Luminous Flux:	850lm
LED Type:	SMD
CRI:	>80



PF:	>0.5
Beam Angle:	160°
Body Type:	Nano Plastic
Holder:	G13
Instant start :	0-100% in < 1s

On/Off:	>15,000
Life span:	20,000 Hours
Gross weight:	126.4g
Dimension:	27.9x600mm
Box Qty:	25 Pcs

T8-Nano Plastic-90cm

14w VT-9077



SKU: 6272 - 4000K Day White 3800157615419
SKU: 6262 - 6400K White 3800157612128

3 YEAR WARRANTY



Dummy Starter Included

EQ. Watts:	25w
Voltage/Frequency:	AC:220-240V,50Hz
Luminous Flux:	1200lm
LED Type:	SMD
CRI:	>80



PF:	>0.5
Beam Angle:	160°
Body Type:	Nano Plastic
Holder:	G13
Instant start :	0-100% in < 1s



On/Off:	>15,000
Life span:	20,000 Hours
Gross weight:	145.6g
Dimension:	27.9x900mm
Box Qty:	25 Pcs

T8-Nano Plastic-120cm

18w VT-1277

SKU: 6263 - 3000K Warm White 3800157612135
 SKU: 6273 - 4000K Day White 3800157615426
 SKU: 6264 - 6400K White 3800157612142

3
 YEAR
 WARRANTY

 Dummy Starter
 Included


EQ. Watts:	36w
Voltage/Frequency:	AC:220-240V,50Hz
Luminous Flux:	1700lm
LED Type:	SMD
CRI:	>80

PF:	>0.5
Beam Angle:	160°
Body Type:	Nano Plastic
Holder:	G13
Instant start :	0-100% in < 1s


On/Off:	>15,000
Life span:	20,000 Hours
Gross weight:	200g
Dimension:	27.9x1200mm
Box Qty:	25 Pcs

T8-Nano Plastic-150cm

22w VT-1577

SKU: 6265 - 3000K Warm White 3800157612159
 SKU: 6309 - 4000K Day White 3800157617437
 SKU: 6310 - 6400K White 3800157617444

3
 YEAR
 WARRANTY

 Dummy Starter
 Included


EQ. Watts:	58w
Voltage/Frequency:	AC:220-240V,50Hz
Luminous Flux:	2000lm
LED Type:	SMD
CRI:	>80

PF:	>0.5
Beam Angle:	160°
Body Type:	Nano Plastic
Holder:	G13
Instant start :	0-100% in < 1s


On/Off:	>15,000
Life span:	30,000 Hours
Gross weight:	283.4g
Dimension:	27.9x1500mm
Box Qty:	25 Pcs

T8-Nano Plastic-High Lumen-150cm

22w VT-1585

SKU: 6306 - 3000K Warm White 3800157617406

5
 YEAR
 WARRANTY

 Dummy Starter
 Included

 120 +
 LUMENS/WATT
 SUPER EFFICIENT


EQ. Watts:	75w
Voltage/Frequency:	AC:220-240V,50/60Hz
Luminous Flux:	3000lm
LED Type:	SMD
CRI:	>80


PF:	>0.5
Beam Angle:	160°
Body Type:	Nano Plastic
Holder:	G13
Instant start :	0-100% in < 1s

On/Off:	>15,000
Life span:	30,000 Hours
Gross weight:	1000g
Dimension:	27.9x1500mm
Box Qty:	25 Pcs

T8-Nano Plastic-60cm

18w VT-6077


SKU: 6313 - 4000K Day White 3800157618656
 SKU: 6314 - 6400K White 3800157618663



EQ. Watts:	36w
Voltage/Frequency:	AC:200-240V,50Hz
Luminous Flux:	2500lm
LED Type:	SMD
CRI:	>80

PF:	>0.9
Beam Angle:	160°
Body Type:	Nano Plastic
Holder:	G13
Instant start :	0-100% in < 1s

On/Off:	>15,000
Life span:	20,000 Hours
Gross weight:	290g
Dimension:	18.5x549mm
Box Qty:	10 Pcs


 120 +
 LUMENS/WATT
 SUPER EFFICIENT



T5-Glass Plastic-60cm
8W VT-6005

SKU: 6318 - 4000K Day White 3800157619271
SKU: 6319 - 6500K White 3800157619288

EQ. Watts:	14w
Voltage/Frequency:	AC:220-240V,50Hz
Luminous Flux:	800lm
LED Type:	SMD
CRI:	>80

PF:	>0.5
Beam Angle:	160°
Body Type:	Glass with PET
Holder:	G5
Instant start :	0-100% in < 1s

On/Off:	>15,000
Life span:	20,000 Hours
Gross weight:	120g
Dimension:	18.4x549mm
Box Qty:	25 Pcs





T5-Glass Plastic-120cm
16w VT-1225

SKU: 6320 - 4000K Day White 3800157619295
SKU: 6321 - 6500K White 3800157619301

EQ. Watts:	28w
Voltage/Frequency:	AC:220-240V,50Hz
Luminous Flux:	1600lm
LED Type:	SMD
CRI:	>80

PF:	>0.5
Beam Angle:	160°
Body Type:	Glass with PET
Holder:	G5
Instant start :	0-100% in < 1s

On/Off:	>15,000
Life span:	20,000 Hours
Gross weight:	208g
Dimension:	18.4x1149mm
Box Qty:	25 Pcs





T8-Aluminium Plastic-180cm
40w VT-1840

SKU: 6251 - 4500K Day White 3800157607841
SKU: 6250 - 6000K White 3800157607834

EQ. Watts:	80w
Voltage/Frequency:	AC:85-265V,50/60Hz
Luminous Flux:	3800lm
LED Type:	SMD
CRI:	>80

PF:	>0.9
Beam Angle:	120°
Body Type:	Aluminium+PC
Holder:	G13
Instant start :	0-100% in < 1s

On/Off:	>15,000
Life span:	20,000 Hours
Gross weight:	800g
Dimension:	28x1800mm
Box Qty:	25 Pcs




T8 Bread Tube-120cm
18w VT-1228-B

SKU: 6322 3800157619318

EQ. Watts:	36w
Voltage/Frequency:	AC:180-240V,50Hz
Luminous Flux:	1530lm
LED Type:	SMD
CRI:	>95

PF:	>0.9
Beam Angle:	160°
Body Type:	Glass with PET
Holder:	G13
Instant start :	0-100% in < 1s

On/Off:	>15,000
Life span:	20,000 Hours
Gross weight:	320g
Dimension:	26x1200mm
Box Qty:	25 Pcs





T8 Meat Tube-120cm
18w VT-1228-M

SKU: 6323 3800157619325

EQ. Watts:	36w
Voltage/Frequency:	AC:180-240V,50/60Hz
Luminous Flux:	1530lm
LED Type:	SMD
CRI:	>95

PF:	>0.9
Beam Angle:	160°
Body Type:	Glass with PET
Holder:	G13
Instant start :	0-100% in < 1s

On/Off:	>15,000
Life span:	20,000 Hours
Gross weight:	320g
Dimension:	26x1200mm
Box Qty:	25 Pcs



T8 Vegetable Tube-120cm


18w VT-1228-V

SKU: 6324 3800157619332

EQ. Watts:	36w
Voltage/Frequency:	AC:180-240V,50Hz
Luminous Flux:	1530lm
LED Type:	SMD
CRI:	>95



PF:	>0.9
Beam Angle:	160°
Body Type:	Glass with PET
Holder:	G13
Instant start :	0-100% in < 1s



On/Off:	>15,000
Life span:	20,000 Hours
Gross weight:	320g
Dimension:	26x1200mm
Box Qty:	25 Pcs




T8 Seafood Tube-120cm


18w VT-1228-S

SKU: 6325 3800157619349

EQ. Watts:	36w
Voltage/Frequency:	AC:180-240V,50/60Hz
Luminous Flux:	1530lm
LED Type:	SMD
CRI:	>95



PF:	>0.9
Beam Angle:	160°
Body Type:	Glass with PET
Holder:	G13
Instant start :	0-100% in < 1s



On/Off:	>15,000
Life span:	20,000 Hours
Gross weight:	320g
Dimension:	26x1200mm
Box Qty:	25 Pcs



T8 Plant Tube-120cm


18w VT-1228-P

SKU: 6326 3800157619356

EQ. Watts:	36w
Voltage/Frequency:	AC:180-240V,50Hz
Luminous Flux:	860lm
LED Type:	SMD
CRI:	>95



PF:	>0.9
Beam Angle:	160°
Body Type:	Glass with PET
Holder:	G13
Instant start :	0-100% in < 1s



On/Off:	>15,000
Life span:	20,000 Hours
Gross weight:	320g
Dimension:	26x1200mm
Box Qty:	25 Pcs



Tube-Batten Fitting

VT-12020



SKU:	6054
Body Type:	Aluminium
Size:	1200mm
EAN:	3800230624666
Box Qty:	20 Pcs

Tube-Batten Fitting

VT-12021



SKU:	6055
Body Type:	Aluminium
Size:	1200x2mm
EAN:	3800230624673
Box Qty:	12 Pcs

Tube-Batten Fitting

VT-15020



SKU:	6056
Body Type:	Aluminium
Size:	1500mm
EAN:	3800230624680
Box Qty:	20 Pcs

Tube-Batten Fitting

VT-15021




SKU:	6057
Body Type:	Aluminium
Size:	1500x2mm
EAN:	3800230624697
Box Qty:	12 Pcs

T5-With Fitting-30cm

4W VT-3033

SKU: 6167 - 4500K Day White 3800230629166




Sensor Compatible:	Yes
Voltage/Frequency:	AC:200-240V,50/60Hz
Luminous Flux:	360lm
LED Type:	SMD
CRI:	>80
PF:	>0.5
Beam Angle:	120°

Body Type:	Plastic
On/Off:	>10,000
Life span:	20,000 Hours
Gross weight:	140g
Dimension:	300x22x33mm
Box Qty:	50 Pcs

T5-With Fitting-60cm

7W VT-6073

SKU: 6169 - 3000K Warm White 3800230629180




Sensor Compatible:	Yes
Voltage/Frequency:	AC:200-240V,50/60Hz
Luminous Flux:	630lm
LED Type:	SMD
CRI:	>80
PF:	>0.9
Beam Angle:	120°

Body Type:	Plastic
On/Off:	>10,000
Life span:	20,000 Hours
Gross weight:	210g
Dimension:	600x22x33mm
Box Qty:	50 Pcs

T5-With Fitting-120cm

14W VT-1273

SKU: 6172 - 3000K Warm White 3800230629210




Sensor Compatible:	Yes
Voltage/Frequency:	AC:200-240V,50/60Hz
Luminous Flux:	1260lm
LED Type:	SMD
CRI:	>80
PF:	>0.9
Beam Angle:	120°

Body Type:	Plastic
On/Off:	>10,000
Life span:	20,000 Hours
Gross weight:	300g
Dimension:	1200x22x33mm
Box Qty:	50 Pcs

Prismatic Fitting-30cm

10W VT-8013

SKU: 4987 - 3000K Warm White 3800157601955




Sensor Compatible:	Yes
Voltage/Frequency:	AC:200-240V,50Hz
Luminous Flux:	900lm
LED Type:	SMD
CRI:	>80
PF:	>0.5
Beam Angle:	110°

Body Type:	Aluminium+Plastic
On/Off:	>10,000
Life span:	20,000 Hours
Gross weight:	260g
Dimension:	300x75x25mm
Box Qty:	10 Pcs

Cabinet Fitting

10w VT-8112

SKU: 5068 - 3000K Warm White 3800157606714
 SKU: 5069 - 4500K Day White 3800157606721
 SKU: 5070 - 6000K White 3800157606738




Sensor Compatible:	Yes
Voltage/Frequency:	AC:220-240V,50/60Hz
Luminous Flux:	800lm
LED Type:	SMD
CRI:	>80
PF:	>0.9
Beam Angle:	110°

Body Type:	Aluminium Body, Plastic Diffuser
On/Off:	>10,000
Life span:	20,000 Hours
Gross weight:	600g
Dimension:	579x78x35mm
Box Qty:	12 Pcs

Wall Fitting-60cm

10w VT-8111

SKU: 5071 - 3000K Warm White 3800157606745
 SKU: 5072 - 4500K Day White 3800157606752
 SKU: 5073 - 6000K White 3800157606769




Sensor Compatible:	Yes
Voltage/Frequency:	AC:85-265V,50/60Hz
Luminous Flux:	900lm
LED Type:	SMD
CRI:	>80
PF:	>0.6
Beam Angle:	120°

Body Type:	Aluminium+PC
On/Off:	>10,000
Life span:	20,000 Hours
Gross weight:	240g
Dimension:	600x32x25mm
Box Qty:	25 Pcs

Wall Fitting-120cm

20w VT-8121

SKU: 5074 - 3000K Warm White 3800157606776
 SKU: 5075 - 4500K Day White 3800157606783
 SKU: 5076 - 6000K White 3800157606790



Sensor Compatible:	Yes
Voltage/Frequency:	AC:85-265V,50/60Hz
Luminous Flux:	1800lm
LED Type:	SMD
CRI:	>80
PF:	>0.6
Beam Angle:	120°

Body Type:	Aluminium+PC
On/Off:	>10,000
Life span:	20,000 Hours
Gross weight:	370g
Dimension:	1200x32x25mm
Box Qty:	25 Pcs

Batten Fitting-Linkable

40w VT-80404

SKU: 6389 - 3000K Warm White 3800157625104



Sensor Compatible:	Yes
Voltage/Frequency:	AC:100-240V,50/60Hz
Luminous Flux:	3200lm
LED Type:	SMD
CRI:	>80
PF:	>0.9
Beam Angle:	110°

Body Type:	AL+PC
On/Off:	>15,000
Life span:	30,000 Hours
Gross weight:	780g
Dimension:	1200x75x26mm
Box Qty:	10 Pcs

