



LED Tube Lights

V-TAC's LED Tube Series fits perfectly into existing linear fixtures, providing better light quality and energy efficiency compared to linear fluorescent systems.

Product Features

- Cost effective, safe retrofit for T8 Tubes
- Perfectly matches with the traditional daylight tube fixture
- Easy Installation
- No Lead or mercury content hence environment friendly
- No Ultraviolet or Infrared rays
- Long lifespan, low maintenance and energy saving
- Available in 60 cm, 120 cm, 150 cm & 180 cm

Applications

Widely used for domestic and commercial lighting, offices, supermarkets, shops, hotels & similar environment.

NEW

T8-Nano Plastic-60cm

7W VT-1607


SKU: 6474 | 3000K Warm White 3800157647632
 SKU: 6475 | 4000K Day White 3800157647649
 SKU: 6476 | 6400K White 3800157647656

 Dummy Starter
Included

Voltage/Frequency:	AC:220-240V,50Hz
Luminous Flux:	1120lm
LED Type:	SMD
CRI:	>80

PF:	>0.9
Beam Angle:	160°
Body Type:	Nano Plastic
Holder:	G13
Instant start :	0-100% in < 1s

On/Off:	>15,000
Life span:	30,000 Hours
Gross weight:	115g
Dimension:	27.9x600mm
Box Qty:	25 Pcs



SuperBRIGHT
160
LUMENS/W

5 YEAR
WARRANTY*



NEW

T8-Nano Plastic-120cm

12w VT-1612



SKU: 6477 | 3000K Warm White 3800157647663
 SKU: 6478 | 4000K Day White 3800157647670
 SKU: 6479 | 6400K White 3800157647687

 Dummy Starter
Included

Voltage/Frequency:	AC:220-240V,50Hz
Luminous Flux:	1920lm
LED Type:	SMD
CRI:	>80

PF:	>0.9
Beam Angle:	160°
Body Type:	Nano Plastic
Holder:	G13
Instant start :	0-100% in < 1s

On/Off:	>15,000
Life span:	30,000 Hours
Gross weight:	193g
Dimension:	27.9x1200mm
Box Qty:	25 Pcs



SuperBRIGHT
160
LUMENS/W

5 YEAR
WARRANTY*



NEW

T8-Nano Plastic-150cm

15w VT-1615


SKU: 6480 | 3000K Warm White 3800157647694
 SKU: 6481 | 4000K Day White 3800157647700
 SKU: 6482 | 6400K White 3800157647717

 Dummy Starter
Included

Voltage/Frequency:	AC:220-240V,50Hz
Luminous Flux:	2400lm
LED Type:	SMD
CRI:	>80

PF:	>0.9
Beam Angle:	160°
Body Type:	Nano Plastic
Holder:	G13
Instant start :	0-100% in < 1s

On/Off:	>15,000
Life span:	30,000 Hours
Gross weight:	261g
Dimension:	27.9x1500mm
Box Qty:	25 Pcs



SuperBRIGHT
160
LUMENS/W

5 YEAR
WARRANTY*



T8-Nano Plastic-Rotatable-High Lumen-60cm


9w VT-6085

SKU: 6299 - 3000K Warm White 3800157617345


5
YEAR
WARRANTY

**Dummy Starter
Included**

EQ. Watts:	25w
Voltage/Frequency:	AC:220-240V,50/60Hz
Luminous Flux:	1100lm
LED Type:	SMD
CRI:	>80



PF:	>0.5
Beam Angle:	160°
Body Type:	Nano Plastic
Holder:	G13
Instant start :	0-100% in < 1s

120
Lumen/W


On/Off:	>15,000
Life span:	30,000 Hours
Gross weight:	125g
Dimension:	27.9x600mm
Box Qty:	25 Pcs




T8-Nano Plastic-Rotatable-60cm

10w VT-6072-R


SKU: 6229 - 3000K Warm White 3800157605212
SKU: 6231 - 6400K White 3800157605236
3
YEAR
WARRANTY

**Dummy Starter
Included**

EQ. Watts:	18w
Voltage/Frequency:	AC:220-240V,50Hz
Luminous Flux:	850lm
LED Type:	SMD
CRI:	>80



PF:	>0.5
Beam Angle:	160°
Body Type:	Nano Plastic
Holder:	G13
Instant start :	0-100% in < 1s



On/Off:	>15,000
Life span:	20,000 Hours
Gross weight:	125g
Dimension:	27.9x600mm
Box Qty:	25 Pcs




T8-Nano Plastic-60cm

10w VT-6072-NR


SKU: 6392 - 3000K Warm White 3800157625296
SKU: 6393 - 4000K Day White 3800157625302
SKU: 6394 - 6400K White 3800157625319
3
YEAR
WARRANTY

**Dummy Starter
Included**

EQ. Watts:	18w
Voltage/Frequency:	AC:220-240V,50Hz
Luminous Flux:	850lm
LED Type:	SMD
CRI:	>80



PF:	>0.5
Beam Angle:	160°
Body Type:	Nano Plastic
Holder:	G13
Instant start :	0-100% in < 1s



On/Off:	>15,000
Life span:	20,000 Hours
Gross weight:	126.4g
Dimension:	27.9x600mm
Box Qty:	25 Pcs




T8-Nano Plastic-90cm

14w VT-9077


SKU: 6272 - 4000K Day White 3800157615419
SKU: 6262 - 6400K White 3800157612128
3
YEAR
WARRANTY

**Dummy Starter
Included**

EQ. Watts:	25w
Voltage/Frequency:	AC:220-240V,50Hz
Luminous Flux:	1200lm
LED Type:	SMD
CRI:	>80



PF:	>0.5
Beam Angle:	160°
Body Type:	Nano Plastic
Holder:	G13
Instant start :	0-100% in < 1s



On/Off:	>15,000
Life span:	20,000 Hours
Gross weight:	145.6g
Dimension:	27.9x900mm
Box Qty:	25 Pcs





T8-Nano Plastic-120cm

18W VT-1277

SKU: 6263 - 3000K Warm White 3800157612135
 SKU: 6273 - 4000K Day White 3800157615426
 SKU: 6264 - 6400K White 3800157612142



Dummy Starter
Included



EQ. Watts:	36w
Voltage/Frequency:	AC:220-240V,50Hz
Luminous Flux:	1700lm
LED Type:	SMD
CRI:	>80

PF:	>0.5
Beam Angle:	160°
Body Type:	Nano Plastic
Holder:	G13
Instant start :	0-100% in < 1s

On/Off:	>15,000
Life span:	20,000 Hours
Gross weight:	200g
Dimension:	27.9x1200mm
Box Qty:	25 Pcs


T8-Nano Plastic-150cm

22W VT-1577

SKU: 6265 - 3000K Warm White 3800157612159
 SKU: 6309 - 4000K Day White 3800157617437
 SKU: 6310 - 6400K White 3800157617444



Dummy Starter
Included



EQ. Watts:	58w
Voltage/Frequency:	AC:220-240V,50Hz
Luminous Flux:	2000lm
LED Type:	SMD
CRI:	>80

PF:	>0.5
Beam Angle:	160°
Body Type:	Nano Plastic
Holder:	G13
Instant start :	0-100% in < 1s

On/Off:	>15,000
Life span:	30,000 Hours
Gross weight:	283.4g
Dimension:	27.9x1500mm
Box Qty:	25 Pcs


T8-Nano Plastic-High Lumen-150cm

22W VT-1585

SKU: 6306 - 3000K Warm White 3800157617406



Dummy Starter
Included



EQ. Watts:	75w
Voltage/Frequency:	AC:220-240V,50/60Hz
Luminous Flux:	3000lm
LED Type:	SMD
CRI:	>80


PF:	>0.5
Beam Angle:	160°
Body Type:	Nano Plastic
Holder:	G13
Instant start :	0-100% in < 1s

On/Off:	>15,000
Life span:	30,000 Hours
Gross weight:	1000g
Dimension:	27.9x1500mm
Box Qty:	25 Pcs

T8-Nano Plastic-60cm

18W VT-6077

SKU: 6313 - 4000K Day White 3800157618656
 SKU: 6314 - 6400K White 3800157618663



EQ. Watts:	36w
Voltage/Frequency:	AC:200-240V,50Hz
Luminous Flux:	2500lm
LED Type:	SMD
CRI:	>80

PF:	>0.9
Beam Angle:	160°
Body Type:	Nano Plastic
Holder:	G13
Instant start :	0-100% in < 1s

On/Off:	>15,000
Life span:	20,000 Hours
Gross weight:	290g
Dimension:	18.5x549mm
Box Qty:	10 Pcs



T5-Glass Plastic-60cm



8W VT-6005

SKU: 6318 - 4000K Day White 3800157619271
SKU: 6319 - 6500K White 3800157619288

EQ. Watts:	14w
Voltage/Frequency:	AC:220-240V,50Hz
Luminous Flux:	800lm
LED Type:	SMD
CRI:	>80

PF:	>0.5
Beam Angle:	160°
Body Type:	Glass with PET
Holder:	G5
Instant start :	0-100% in < 1s

On/Off:	>15,000
Life span:	20,000 Hours
Gross weight:	120g
Dimension:	18.4x549mm
Box Qty:	25 Pcs



T5-Glass Plastic-120cm



16w VT-1225

SKU: 6320 - 4000K Day White 3800157619295
SKU: 6321 - 6500K White 3800157619301

EQ. Watts:	28w
Voltage/Frequency:	AC:220-240V,50Hz
Luminous Flux:	1600lm
LED Type:	SMD
CRI:	>80

PF:	>0.5
Beam Angle:	160°
Body Type:	Glass with PET
Holder:	G5
Instant start :	0-100% in < 1s

On/Off:	>15,000
Life span:	20,000 Hours
Gross weight:	208g
Dimension:	18.4x1149mm
Box Qty:	25 Pcs



T8-Aluminium Plastic-180cm



40w VT-1840

SKU: 6251 - 4500K Day White 3800157607841
SKU: 6250 - 6000K White 3800157607834

EQ. Watts:	80w
Voltage/Frequency:	AC:85-265V,50/60Hz
Luminous Flux:	3800lm
LED Type:	SMD
CRI:	>80

PF:	>0.9
Beam Angle:	120°
Body Type:	Aluminium+PC
Holder:	G13
Instant start :	0-100% in < 1s

On/Off:	>15,000
Life span:	20,000 Hours
Gross weight:	800g
Dimension:	28x1800mm
Box Qty:	25 Pcs



T8 Bread Tube-120cm



18w VT-1228-B

SKU: 6322 3800157619318

EQ. Watts:	36w
Voltage/Frequency:	AC:180-240V,50Hz
Luminous Flux:	1530lm
LED Type:	SMD
CRI:	>95

PF:	>0.9
Beam Angle:	160°
Body Type:	Glass with PET
Holder:	G13
Instant start :	0-100% in < 1s

On/Off:	>15,000
Life span:	20,000 Hours
Gross weight:	320g
Dimension:	26x1200mm
Box Qty:	25 Pcs



T8 Meat Tube-120cm



18w VT-1228-M

SKU: 6323 3800157619325

EQ. Watts:	36w
Voltage/Frequency:	AC:180-240V,50/60Hz
Luminous Flux:	1530lm
LED Type:	SMD
CRI:	>95

PF:	>0.9
Beam Angle:	160°
Body Type:	Glass with PET
Holder:	G13
Instant start :	0-100% in < 1s

On/Off:	>15,000
Life span:	20,000 Hours
Gross weight:	320g
Dimension:	26x1200mm
Box Qty:	25 Pcs



T8 Vegetable Tube-120cm


18w VT-1228-V

SKU: 6324 3800157619332

EQ. Watts:	36w
Voltage/Frequency:	AC:180-240V,50Hz
Luminous Flux:	1530lm
LED Type:	SMD
CRI:	>95



PF:	>0.9
Beam Angle:	160°
Body Type:	Glass with PET
Holder:	G13
Instant start :	0-100% in < 1s



On/Off:	>15,000
Life span:	20,000 Hours
Gross weight:	320g
Dimension:	26x1200mm
Box Qty:	25 Pcs




T8 Seafood Tube-120cm


18w VT-1228-S

SKU: 6325 3800157619349

EQ. Watts:	36w
Voltage/Frequency:	AC:180-240V,50/60Hz
Luminous Flux:	1530lm
LED Type:	SMD
CRI:	>95



PF:	>0.9
Beam Angle:	160°
Body Type:	Glass with PET
Holder:	G13
Instant start :	0-100% in < 1s



On/Off:	>15,000
Life span:	20,000 Hours
Gross weight:	320g
Dimension:	26x1200mm
Box Qty:	25 Pcs



T8 Plant Tube-120cm


18w VT-1228-P

SKU: 6326 3800157619356

EQ. Watts:	36w
Voltage/Frequency:	AC:180-240V,50Hz
Luminous Flux:	860lm
LED Type:	SMD
CRI:	>95



PF:	>0.9
Beam Angle:	160°
Body Type:	Glass with PET
Holder:	G13
Instant start :	0-100% in < 1s



On/Off:	>15,000
Life span:	20,000 Hours
Gross weight:	320g
Dimension:	26x1200mm
Box Qty:	25 Pcs



Tube-Batten Fitting

VT-16010



SKU:	6052
Body Type:	Aluminium
Size:	600mm
EAN:	3800230624642
Box Qty:	20 Pcs

Tube-Batten Fitting

VT-12020



SKU:	6054
Body Type:	Aluminium
Size:	1200mm
EAN:	3800230624666
Box Qty:	20 Pcs

Tube-Batten Fitting

VT-15020



SKU:	6056
Body Type:	Aluminium
Size:	1500mm
EAN:	3800230624680
Box Qty:	20 Pcs

Tube-Batten Fitting

VT-16011



SKU:	6053
Body Type:	Aluminium
Size:	600x2mm
EAN:	3800230624659
Box Qty:	20 Pcs

Tube-Batten Fitting

VT-12021



SKU:	6055
Body Type:	Aluminium
Size:	1200x2mm
EAN:	3800230624673
Box Qty:	12 Pcs

Tube-Batten Fitting

VT-15021



SKU:	6057
Body Type:	Aluminium
Size:	1500x2mm
EAN:	3800230624697
Box Qty:	12 Pcs

NEW

Grill Fitting-High Lumen

15w VT-8315

SKU: 6487 - 3000K Warm White 3800157650144
 SKU: 6488 - 4000K Day White 3800157650151
 SKU: 6489 - 6400K White 3800157650168


SuperBRIGHT
160
 LUMENS/W

5 YEAR
 WARRANTY*

Sensor Compatible: **Yes**
 Voltage/Frequency: **AC:220-240V,50Hz**
 Luminous Flux: **2400lm**
 LED Type: **SMD**
 CRI: **>80**

PF: **>0.9**
 Beam Angle: **120°**
 Body Type: **Plastic**
 On/Off: **>15000**
 Life span: **30,000 Hours**

Gross weight: **192g**
 Dimension: **600x24.4x74.1mm**
 Box Qty: **30 Pcs**



NEW

Grill Fitting-High Lumen

30w VT-8330

SKU: 6490 - 3000K Warm White 3800157650175
 SKU: 6491 - 4000K Day White 3800157650182
 SKU: 6492 - 6400K White 3800157650199


SuperBRIGHT
160
 LUMENS/W

5 YEAR
 WARRANTY*

Sensor Compatible: **Yes**
 Voltage/Frequency: **AC:220-240V,50Hz**
 Luminous Flux: **4800lm**
 LED Type: **SMD**
 CRI: **>80**

PF: **>0.9**
 Beam Angle: **120°**
 Body Type: **Plastic**
 On/Off: **>15000**
 Life span: **30,000 Hours**

Gross weight: **350g**
 Dimension: **1200x24.4x74.1mm**
 Box Qty: **30 Pcs**



NEW

Grill Fitting-High Lumen

38w VT-8338

SKU: 6493 - 3000K Warm White 3800157650205
 SKU: 6494 - 4000K Day White 3800157650212
 SKU: 6495 - 6400K White 3800157650229


SuperBRIGHT
160
 LUMENS/W

5 YEAR
 WARRANTY*

Sensor Compatible: **Yes**
 Voltage/Frequency: **AC:220-240V,50Hz**
 Luminous Flux: **6080lm**
 LED Type: **SMD**
 CRI: **>80**

PF: **>0.9**
 Beam Angle: **120°**
 Body Type: **Plastic**
 On/Off: **>15000**
 Life span: **30,000 Hours**


Gross weight: **570g**
 Dimension: **1500x24.4x74.1mm**
 Box Qty: **30 Pcs**



Prismatic Fitting-30cm

10w VT-8013

SKU: 4987 - 3000K Warm White 3800157601955




Sensor Compatible:	Yes
Voltage/Frequency:	AC:200-240V,50Hz
Luminous Flux:	900lm
LED Type:	SMD
CRI:	>80
PF:	>0.5
Beam Angle:	110°

Body Type:	Aluminium+Plastic
On/Off:	>10,000
Life span:	20,000 Hours
Gross weight:	260g
Dimension:	300x75x25mm
Box Qty:	10 Pcs

Cabinet Fitting

10w VT-8112

SKU: 5068 - 3000K Warm White 3800157606714
 SKU: 5069 - 4500K Day White 3800157606721
 SKU: 5070 - 6000K White 3800157606738




Sensor Compatible:	Yes
Voltage/Frequency:	AC:220-240V,50/60Hz
Luminous Flux:	800lm
LED Type:	SMD
CRI:	>80
PF:	>0.9
Beam Angle:	110°

Body Type:	Aluminium Body, Plastic Diffuser
On/Off:	>10,000
Life span:	20,000 Hours
Gross weight:	600g
Dimension:	579x78x35mm
Box Qty:	12 Pcs

Wall Fitting-60cm

10w VT-8111

SKU: 5071 - 3000K Warm White 3800157606745
 SKU: 5072 - 4500K Day White 3800157606752
 SKU: 5073 - 6000K White 3800157606769




Sensor Compatible:	Yes
Voltage/Frequency:	AC:85-265V,50/60Hz
Luminous Flux:	900lm
LED Type:	SMD
CRI:	>80
PF:	>0.6
Beam Angle:	120°

Body Type:	Aluminium+PC
On/Off:	>10,000
Life span:	20,000 Hours
Gross weight:	240g
Dimension:	600x32x25mm
Box Qty:	25 Pcs

Wall Fitting-120cm

20w VT-8121

SKU: 5074 - 3000K Warm White 3800157606776
 SKU: 5075 - 4500K Day White 3800157606783
 SKU: 5076 - 6000K White 3800157606790



Sensor Compatible:	Yes
Voltage/Frequency:	AC:85-265V,50/60Hz
Luminous Flux:	1800lm
LED Type:	SMD
CRI:	>80
PF:	>0.6
Beam Angle:	120°

Body Type:	Aluminium+PC
On/Off:	>10,000
Life span:	20,000 Hours
Gross weight:	370g
Dimension:	1200x32x25mm
Box Qty:	25 Pcs