



## LED Waterproof Fittings

Introducing our complete Essentials range of IP65-rated waterproof tubes. Built with a tough, air-tight enclosure allowing it to resist jets of water and dust — an essential feature for outdoor lighting.

### Product Features

- Easy to install
- IP65, free from water and dirt
- Direct wiring easily accessible when necessary
- Perfect replacement for the whole set of T8 fluorescent lighting fixture
- Save up to 80% in electricity consumption compared to fluorescent lighting fixture

### Applications

Widely used for Domestic and Commercial Lighting, Offices, Supermarkets, Shops, Hotels & similar environment.

**NEW**

Waterproof Fitting-X Series

24W VT-1524

SKU: 6485 - 4500K Day White 3800157648417  
 SKU: 6486 - 6400K White 3800157648424

*Super* **BRIGHT**  
**160**  
**LUMENS/W**




**5** YEAR  
**WARRANTY\***

**IP65**  
**RATING**

|                    |                     |
|--------------------|---------------------|
| Voltage/Frequency: | AC:200-240V,50/60Hz |
| Luminous Flux:     | 3840lm              |
| LED Type:          | SMD                 |
| CRI:               | >70                 |

|             |         |
|-------------|---------|
| PF:         | >0.9    |
| Beam Angle: | 120°    |
| Body Type:  | PC+ABS  |
| On/Off:     | >15,000 |

|               |              |
|---------------|--------------|
| Life span:    | 30,000 Hours |
| Gross weight: | 0.60 kg      |
| Dimension:    | 1200x65x58mm |
| Box Qty:      | 12 Pcs       |



**NEW**

Waterproof Fitting-X Series

32W VT-1532

SKU: 6483 - 4500K Day White 3800157648394  
 SKU: 6484 - 6400K White 3800157648400

*Super* **BRIGHT**  
**160**  
**LUMENS/W**




**5** YEAR  
**WARRANTY\***

**IP65**  
**RATING**

|                    |                     |
|--------------------|---------------------|
| Voltage/Frequency: | AC:200-240V,50/60Hz |
| Luminous Flux:     | 5120lm              |
| LED Type:          | SMD                 |
| CRI:               | >70                 |

|             |         |
|-------------|---------|
| PF:         | >0.9    |
| Beam Angle: | 120°    |
| Body Type:  | PC+ABS  |
| On/Off:     | >15,000 |


|               |              |
|---------------|--------------|
| Life span:    | 30,000 Hours |
| Gross weight: | 1.1 kg       |
| Dimension:    | 1500x65x58mm |
| Box Qty:      | 12 Pcs       |




**1 LED TUBE INCLUDED**


## Waterproof Fitting-Tubes

**10w VT-6028**

 SKU: 6463 - 4000K Day White 3800157639767  
 SKU: 6464 - 6400K White 3800157639750
Voltage/Frequency: **AC:200-240V,50/60Hz**Luminous Flux: **850lm**LED Type: **SMD**CRI: **>80**PF: **>0.5**Beam Angle: **120°**Body Type: **Plastic+ABS**On/Off: **>15,000**Life span: **20,000 Hours**Gross weight: **0.70 kg**Dimension: **666x68x58mm**Box Qty: **16pcs**


## Waterproof Fitting-Tubes

**2x10w VT-6029**

 SKU: 6465 - 4000K Day White 3800157639781  
 SKU: 6466 - 6400K White 3800157639774
Voltage/Frequency: **AC:200-240V,50/60Hz**Luminous Flux: **1700lm**LED Type: **SMD**CRI: **>80**PF: **>0.5**Beam Angle: **120°**Body Type: **Plastic+ABS**On/Off: **>15,000**Life span: **20,000 Hours**Gross weight: **1 kg**Dimension: **666x96x58mm**Box Qty: **12pcs**
**1 LED TUBE INCLUDED**

## Waterproof Fitting-Tubes

**18w VT-12028**

 SKU: 6459 - 4000K Day White 3800157639729  
 SKU: 6460 - 6400K White 3800157639712
Voltage/Frequency: **AC:200-240V,50/60Hz**Luminous Flux: **1700lm**LED Type: **SMD**CRI: **>80**PF: **>0.5**Beam Angle: **120°**Body Type: **Plastic+ABS**On/Off: **>15,000**Life span: **20,000 Hours**Gross weight: **1 kg**Dimension: **1276x68x58mm**Box Qty: **16pcs**
**1 LED TUBE INCLUDED**

## Waterproof Fitting-Tubes

**22w VT-15028**

 SKU: 6461 - 4000K Day White 3800157639743  
 SKU: 6462 - 6400K White 3800157639736
Voltage/Frequency: **AC:200-240V,50/60Hz**Luminous Flux: **2000lm**LED Type: **SMD**CRI: **>80**PF: **>0.5**Beam Angle: **120°**Body Type: **Plastic+ABS**On/Off: **>15,000**Life span: **20,000 Hours**Gross weight: **1.2 kg**Dimension: **1576x68x58mm**Box Qty: **16pcs**

Waterproof Fitting-Tubes

36w VT-12023

SKU: 6387 - 4000K Day White 3800157625036  
 SKU: 6399 - 6400K White 3800157626385




**2** LED TUBES INCLUDED



|                    |                     |
|--------------------|---------------------|
| Voltage/Frequency: | AC:200-240V,50/60Hz |
| Luminous Flux:     | 3400lm              |
| LED Type:          | SMD                 |
| CRI:               | >80                 |

|             |             |
|-------------|-------------|
| PF:         | >0.9        |
| Beam Angle: | 120°        |
| Body Type:  | Plastic+ABS |
| On/Off:     | >10,000     |

|               |               |
|---------------|---------------|
| Life span:    | 30,000 Hours  |
| Gross weight: | 1.33 kg       |
| Dimension:    | 1260x112x63mm |
| Box Qty:      | 10 Pcs        |



Waterproof Fitting-Tubes

44w VT-15022

SKU: 6388 - 4000K Day White 3800157625043  
 SKU: 6400 - 6400K White 3800157626392




**2** LED TUBES INCLUDED



|                    |                     |
|--------------------|---------------------|
| Voltage/Frequency: | AC:200-240V,50/60Hz |
| Luminous Flux:     | 4000lm              |
| LED Type:          | SMD                 |
| CRI:               | >80                 |

|             |             |
|-------------|-------------|
| PF:         | >0.9        |
| Beam Angle: | 120°        |
| Body Type:  | Plastic+ABS |
| On/Off:     | >10,000     |

|               |               |
|---------------|---------------|
| Life span:    | 30,000 Hours  |
| Gross weight: | 1.65 kg       |
| Dimension:    | 1560x112x63mm |
| Box Qty:      | 10 Pcs        |



Waterproof Fitting-G Series

18w VT-6076


SKU: 6283 - 4000K Day White 3800157616478  
 SKU: 6282 - 6400K White 3800157616461



|                    |                  |
|--------------------|------------------|
| Voltage/Frequency: | AC:220-240V,50Hz |
| Luminous Flux:     | 1440lm           |
| LED Type:          | SMD              |
| CRI:               | >70              |

|             |         |
|-------------|---------|
| PF:         | >0.5    |
| Beam Angle: | 120°    |
| Body Type:  | Plastic |
| On/Off:     | >10,000 |

|               |              |
|---------------|--------------|
| Life span:    | 20,000 Hours |
| Gross weight: | 0.60 kg      |
| Dimension:    | 600x65x58mm  |
| Box Qty:      | 12 Pcs       |



Waterproof Fitting-G Series

36w VT-1249


SKU: 6285 - 4000K Day White 3800157616492  
 SKU: 6284 - 6400K White 3800157616485



|                    |                     |
|--------------------|---------------------|
| Voltage/Frequency: | AC:200-240V,50/60Hz |
| Luminous Flux:     | 2880lm              |
| LED Type:          | SMD                 |
| CRI:               | >70                 |

|             |         |
|-------------|---------|
| PF:         | >0.9    |
| Beam Angle: | 120°    |
| Body Type:  | Plastic |
| On/Off:     | >10,000 |

|               |              |
|---------------|--------------|
| Life span:    | 20,000 Hours |
| Gross weight: | 0.60 kg      |
| Dimension:    | 1200x65x58mm |
| Box Qty:      | 12 Pcs       |



Waterproof Fitting-G Series

48w VT-1574


SKU: 6287 - 4000K Day White 3800157616515  
 SKU: 6286 - 6400K White 3800157616508



|                    |                     |
|--------------------|---------------------|
| Voltage/Frequency: | AC:200-240V,50/60Hz |
| Luminous Flux:     | 3840lm              |
| LED Type:          | SMD                 |
| CRI:               | >70                 |

|             |         |
|-------------|---------|
| PF:         | >0.9    |
| Beam Angle: | 120°    |
| Body Type:  | Plastic |
| On/Off:     | >10,000 |

|               |              |
|---------------|--------------|
| Life span:    | 20,000 Hours |
| Gross weight: | 1.1 kg       |
| Dimension:    | 1500x65x58mm |
| Box Qty:      | 12 Pcs       |



## Waterproof Fitting-S Series

18W VT-1518

SKU: 6472 - 4000K Day White 3800157647199  
SKU: 6473 - 6500K White 3800157647205



Voltage/Frequency: AC:200-240V,50/60Hz

Luminous Flux: 1530lm

LED Type: SMD2835

CRI: &gt;80

PF: &gt;0.9

Beam Angle: 120°

Body Type: PC

On/Off: &gt;15,000




Life span: 20,000 Hours

Gross weight: 0.25 kg

Dimension: 600x60x35mm

Box Qty: 20 Pcs



## Waterproof Fitting-S Series

36W VT-1239

SKU: 6469 - 4000K Day White 3800157640992  
SKU: 6470 - 6500K White 3800157641005



Voltage/Frequency: AC:200-240V,50/60Hz

Luminous Flux: 3000lm

LED Type: SMD2835

CRI: &gt;80

PF: &gt;0.9

Beam Angle: 120°

Body Type: PC

On/Off: &gt;15,000



Life span: 20,000 Hours

Gross weight: 0.448 kg

Dimension: 1200x60x35mm

Box Qty: 20 Pcs



## Waterproof Fitting-S Series

48W VT-1549

SKU: 6467 - 4000K Day White 3800157640978  
SKU: 6468 - 6500K White 3800157640985



Voltage/Frequency: AC:200-240V,50/60Hz

Luminous Flux: 4000lm

LED Type: SMD2835

CRI: &gt;80

PF: &gt;0.9

Beam Angle: 120°

Body Type: PC

On/Off: &gt;15,000




Life span: 20,000 Hours

Gross weight: 0.558 kg

Dimension: 1500x60x35mm

Box Qty: 20 Pcs



## Waterproof-Emergency Kit

36W VT-1250

SKU: 6448 - 4000K Day White 3800157632126  
SKU: 6449 - 6400K White 3800157632133

Waterproof  
Emergency Kit

Charging Time: 24 Hours

Emergency Operation Time: 3 Hours

Emergency Switch on time: &lt;1 Second

Voltage/Frequency: AC:220-240V,50/60Hz

Luminous Flux: 2880lm

LED Type: SMD

CRI: &gt;70

PF: &gt;0.9

Beam Angle: 120°

Body Type: Plastic+ABS


On/Off: &gt;10,000

Life span: 20,000 Hours

Gross weight: 1.9 kg

Dimension: 1200x76x66mm

Box Qty: 12 Pcs



## Waterproof-Emergency Kit

48W VT-1550

SKU: 6446 - 4000K Day White 3800157632102  
SKU: 6447 - 6400K White 3800157632119

Waterproof  
Emergency Kit

Charging Time: 24 Hours

Emergency Operation Time: 3 Hours

Emergency Switch on time: &lt;1 Second

Voltage/Frequency: AC:220-240V,50/60Hz

Luminous Flux: 3920lm

LED Type: SMD

CRI: &gt;70

PF: &gt;0.9

Beam Angle: 120°

Body Type: ABS+PC


On/Off: &gt;10,000

Life span: 20,000 Hours

Gross weight: 2.35 kg

Dimension: 1500x76x66mm

Box Qty: 12 Pcs





Waterproof Fitting  
**18w VT-6048**


SKU: 6198 - 4500K Day White 3800157603256  
SKU: 6199 - 6000K White 3800157603263



|                    |                  |
|--------------------|------------------|
| Voltage/Frequency: | AC:200-240V,50Hz |
| Luminous Flux:     | 1440lm           |
| LED Type:          | SMD              |
| CRI:               | >70              |

|             |             |
|-------------|-------------|
| PF:         | >0.9        |
| Beam Angle: | 120°        |
| Body Type:  | Plastic+ABS |
| On/Off:     | >10,000     |

|               |              |
|---------------|--------------|
| Life span:    | 20,000 Hours |
| Gross weight: | 0.80 kg      |
| Dimension:    | 600x76x66mm  |
| Box Qty:      | 12 Pcs       |



Waterproof Fitting  
**36w VT-1248**


SKU: 6200 - 4500K Day White 3800157603270  
SKU: 6201 - 6000K White 3800157603287



|                    |                  |
|--------------------|------------------|
| Voltage/Frequency: | AC:200-240V,50Hz |
| Luminous Flux:     | 2880lm           |
| LED Type:          | SMD              |
| CRI:               | >70              |

|             |             |
|-------------|-------------|
| PF:         | >0.9        |
| Beam Angle: | 120°        |
| Body Type:  | Plastic+ABS |
| On/Off:     | >10,000     |

|               |              |
|---------------|--------------|
| Life span:    | 20,000 Hours |
| Gross weight: | 1.42 kg      |
| Dimension:    | 1200x76x66mm |
| Box Qty:      | 12 Pcs       |



Waterproof Fitting  
**48w VT-1548**


SKU: 6184 - 4500K Day White 3800157602389  
SKU: 6185 - 6000K White 3800157602396



|                    |                     |
|--------------------|---------------------|
| Voltage/Frequency: | AC:200-240V,50/60Hz |
| Luminous Flux:     | 3840lm              |
| LED Type:          | SMD                 |
| CRI:               | >70                 |


|             |             |
|-------------|-------------|
| PF:         | >0.7        |
| Beam Angle: | 120°        |
| Body Type:  | Plastic+ABS |
| On/Off:     | >10,000     |

|               |              |
|---------------|--------------|
| Life span:    | 20,000 Hours |
| Gross weight: | 1.86 kg      |
| Dimension:    | 1480x76x66mm |
| Box Qty:      | 12 Pcs       |



Waterproof Fitting  
**70w VT-1573**

SKU: 6266 - 4000K Day White 3800157612586



|                    |                     |
|--------------------|---------------------|
| Voltage/Frequency: | AC:200-240V,50/60Hz |
| Luminous Flux:     | 8400lm              |
| LED Type:          | SMD                 |
| CRI:               | >70                 |

|             |                   |
|-------------|-------------------|
| PF:         | >0.9              |
| Beam Angle: | 120°              |
| Body Type:  | Plastic+Aluminium |
| On/Off:     | >10,000           |

|               |              |
|---------------|--------------|
| Life span:    | 20,000 Hours |
| Gross weight: | 2.75 kg      |
| Dimension:    | 1500x86x70mm |
| Box Qty:      | 6 Pcs        |

