



LED Downlights

Swap outdated CFL Lights with high quality LED Down Lights for long lasting and energy efficient lighting. Choose from a wide range of 3w to 4w variations.

Product Features

- Innumerable styles & elegant appearance
- Non - Flickering
- Premium quality power driver with lowest power factor saver & high RA
- Easy Installation
- Varied finishes with strong die cast aluminium body
- Low maintenance
- All down lights come with premium quality power

Applications

Residences, showrooms, hotels & boutiques etc.


NEW

UGR < 19

Adjustable Angle
0-27°

Hotel Downlight-COB

6w VT-2907


SKU: 1479 - 3000K Warm White 3800157644242
SKU: 1480 - 4000K Day White 3800157644259Cutting Size
Ø55mmSensor Compatible: Yes
Voltage/Frequency: AC:220-240V,50Hz
Luminous Flux: 400lm
LED Type: COB-CREE
CRI: >95
PF: >0.6

Beam Angle: 0-27°

Body Type: Aluminium
Dimension: Ø65x82mm
Cutting Size: Ø55mm
Box Qty: 24 Pcs

Hotel Downlight-COB

10w VT-2911


SKU: 1481 - 3000K Warm White 3800157644068
SKU: 1482 - 4000K Day White 3800157644075Cutting Size
Ø75mmSensor Compatible: Yes
Voltage/Frequency: AC:220-240V,50Hz
Luminous Flux: 650lm
LED Type: COB-CREE
CRI: >95
PF: >0.6

Beam Angle: 0-27°

Body Type: Aluminium
Dimension: Ø85x96mm
Cutting Size: Ø75mm
Box Qty: 16 Pcs

Hotel Downlight-COB

15w VT-2916


SKU: 1483 - 3000K Warm White 3800157644082
SKU: 1484 - 4000K Day White 3800157644099Cutting Size
Ø95mmSensor Compatible: Yes
Voltage/Frequency: AC:220-240V,50Hz
Luminous Flux: 100lm
LED Type: COB-CREE
CRI: >95
PF: >0.6

Beam Angle: 0-27°

Body Type: Aluminium
Dimension: Ø105x113mm
Cutting Size: Ø105mm
Box Qty: 12 Pcs

Hotel Downlight-COB

35w VT-2936

SKU: 1477 - 3000K Warm White 3800157644105
SKU: 1478 - 4000K Day White 3800157644112Cutting Size
Ø150mmSensor Compatible: Yes
Voltage/Frequency: AC:220-240V,50Hz
Luminous Flux: 2300lm
LED Type: COB-CREE
CRI: >95
PF: >0.6

Beam Angle: 0-27°

Body Type: Aluminium
Dimension: Ø160x176mm
Cutting Size: Ø150mm
Box Qty: 8 Pcs

NEW



Side Light
3W VT-2903

SKU: 1485 - 3000K Warm White 3800157642675

Sensor Compatible:	Yes	Beam Angle:	30°
Voltage/Frequency:	AC:100-240V,50/60Hz	Body Type:	Die Cast Aluminium
Luminous Flux:	180lm	Color of Fixture:	Black
LED Type:	COB-CREE	Dimension:	80x80x25mm
CRI:	>80	Cutting Size:	N/A
PF:	>0.6	Box Qty:	40 Pcs

NEW



Side Light
3W VT-2913

SKU: 1486 - 3000K Warm White 3800157644327

Sensor Compatible:	Yes	Beam Angle:	30°
Voltage/Frequency:	AC:100-240V,50/60Hz	Body Type:	Die Cast Aluminium
Luminous Flux:	180lm	Color of Fixture:	White
LED Type:	COB-CREE	Dimension:	90x60x30mm
CRI:	>80	Cutting Size:	N/A
PF:	>0.6	Box Qty:	40 Pcs

NEW



Side Light
3W VT-2943

SKU: 1487 - 3000K Warm White 3800157644334

Sensor Compatible:	Yes	Beam Angle:	30°
Voltage/Frequency:	AC:100-240V,50/60Hz	Body Type:	Die Cast Aluminium
Luminous Flux:	180lm	Color of Fixture:	White
LED Type:	COB-CREE	Dimension:	120x120x45mm
CRI:	>80	Cutting Size:	N/A
PF:	>0.6	Box Qty:	20 Pcs

NEW



Side Light
3+6W VT-2953

SKU: 1488 - 3000K Warm White 3800157644341

Sensor Compatible:	Yes	Beam Angle:	120°
Voltage/Frequency:	AC:100-240V,50/60Hz	Body Type:	Die Cast Aluminium
Luminous Flux:	180+500lm	Color of Fixture:	White
LED Type:	CREE Chip	Dimension:	300x50x35mm
CRI:	>80	Cutting Size:	N/A
PF:	>0.6	Box Qty:	30 Pcs

NEW



Side Light
3+6W VT-2963

SKU: 1489 - 3000K Warm White 3800157644358


Sensor Compatible:	Yes	Beam Angle:	120°
Voltage/Frequency:	AC:100-240V,50/60Hz	Body Type:	Die Cast Aluminium
Luminous Flux:	180+500lm	Color of Fixture:	White
LED Type:	COB-CREE	Dimension:	140x30mm
CRI:	>80	Cutting Size:	N/A
PF:	>0.6	Box Qty:	30 Pcs



Reflector Series - High Lumen

10W VT-26101

SKU: 1270 - 3000K Warm White 3800157611923
 SKU: 1271 - 4000K Day White 3800157611930
 SKU: 1272 - 6400K White 3800157611947



Sensor Compatible:	Yes
Voltage/Frequency:	AC:100-277V,50/60Hz
Luminous Flux:	1200lm
LED Type:	COB
CRI:	>80
PF:	>0.5


Beam Angle:	120°
Body Type:	PKW
Color of Fixture:	White
Shape:	Round
Dimension:	Ø135x71mm
Cutting Size:	Ø120mm
Box Qty:	27 Pcs



Reflector Series - High Lumen

20W VT-26201

SKU: 1273 - 3000K Warm White 3800157611954
 SKU: 1274 - 4000K Day White 3800157611961
 SKU: 1275 - 6400K White 3800157611978



Sensor Compatible:	Yes
Voltage/Frequency:	AC:100-277V,50/60Hz
Luminous Flux:	2400lm
LED Type:	COB
CRI:	>80
PF:	>0.5


Beam Angle:	120°
Body Type:	PKW
Color of Fixture:	White
Shape:	Round
Dimension:	Ø180x83mm
Cutting Size:	Ø167mm
Box Qty:	18 Pcs



Reflector Series - High Lumen

30W VT-26301

SKU: 1276 - 3000K Warm White 3800157611985
 SKU: 1277 - 4000K Day White 3800157611992
 SKU: 1278 - 6400K White 3800157612005



Sensor Compatible:	Yes
Voltage/Frequency:	AC:100-277V,50/60Hz
Luminous Flux:	3600lm
LED Type:	COB
CRI:	>80
PF:	>0.9


Beam Angle:	120°
Body Type:	PKW
Color of Fixture:	White
Shape:	Round
Dimension:	Ø220x103mm
Cutting Size:	Ø207mm
Box Qty:	12 Pcs



Reflector Series - High Lumen

40W VT-26451

SKU: 1453 - 3000K Warm White 3800157635561
 SKU: 1279 - 4500K Day White 3800157612012
 SKU: 1280 - 6400K White 3800157612029



Sensor Compatible:	Yes
Voltage/Frequency:	AC:100-270V,50/60Hz
Luminous Flux:	4800lm
LED Type:	COB
CRI:	>80
PF:	>0.9


Beam Angle:	120°
Body Type:	PKW
Color of Fixture:	PKW
Shape:	Round
Dimension:	Ø220x103mm
Cutting Size:	Ø207mm
Box Qty:	12 Pcs



Reflector Series

10W VT-2610

SKU: 1100 - 6000K White 3800230622372



Sensor Compatible:	Yes
Voltage/Frequency:	AC:220-240V,50Hz
Luminous Flux:	730lm
LED Type:	COB
CRI:	>80
PF:	>0.5


Beam Angle:	120°
Body Type:	PKW
Color of Fixture:	PKW
Shape:	Round
Dimension:	Ø135x71mm
Cutting Size:	Ø105mm
Box Qty:	27 Pcs

Reflector Series

SKU: 1103 - 6000K White

3800230622402

20w VT-2620



Sensor Compatible:	Yes
Voltage/Frequency:	AC:220-240V,50Hz
Luminous Flux:	1500lm
LED Type:	COB
CRI:	>80
PF	>0.5

Beam Angle:	120°
Body Type:	PKW
Color of Fixture:	PKW
Shape:	Round
Dimension:	Ø182x90mm
Cutting Size:	Ø160mm
Box Qty:	18 Pcs

Zoom Series - Rectangle

SKU: 1306 - 3000K Warm White

3800157619936


SKU: 1307 - 4000K Day White

3800157619943

SKU: 1289 - 6400K White

3800157619646

30w VT-2930



Sensor Compatible:	Yes
Voltage/Frequency:	AC:220-240V,50/60Hz
Luminous Flux:	2450lm
LED Type:	COB
CRI:	>80
PF	>0.9

Beam Angle:	99°
Body Type:	Die Cast Aluminum
Color of Fixture:	White
Shape:	Rectangle
Dimension:	235x146x139mm
Cutting Size:	220 x 132mm
Box Qty:	20 Pcs

Zoom Series - Round

SKU: 1304 - 3000K Warm White

3800157619912


SKU: 1305 - 4500K Day White

3800157619929

SKU: 1288 - 6400K White

3800157619639

33w VT-2933



Sensor Compatible:	Yes
Voltage/Frequency:	AC:220-240V,50/60Hz
Luminous Flux:	2650lm
LED Type:	COB
CRI:	>80
PF	>0.9

Beam Angle:	24°
Body Type:	Die Cast Aluminum
Color of Fixture:	White
Shape:	Round
Dimension:	Ø165x140mm
Cutting Size:	Ø 155
Box Qty:	20 Pcs

Downlight-Moving Head-Square

SKU: 5096 - 4000K Day White

3800157609371

SKU: 5097 - 6400K White

3800157609388

3800157609395

3w VT-1133SQ



Sensor Compatible:	Yes
Voltage/Frequency:	AC:220-240V,50/60Hz
Luminous Flux:	200lm
LED Type:	COB
CRI:	>80
PF	>0.5

Beam Angle:	60°
Body Type:	Aluminium
Color of Fixture:	White
Shape:	Square
Dimension:	55x55x42mm
Cutting Size:	45 x 45mm
Box Qty:	100 Pcs

Downlight-Fixed Type-Square

SKU: 5110 - 6400K White

3800157609456

3w VT-1123SQ



Sensor Compatible:	Yes
Voltage/Frequency:	AC:85-265V,50/60Hz
Luminous Flux:	200lm
LED Type:	COB
CRI:	>80
PF	>0.5

Beam Angle:	60°
Body Type:	Aluminium
Color of Fixture:	White
Shape:	Square
Dimension:	45x45x35mm
Cutting Size:	36 x 36 mm
Box Qty:	100 Pcs




Step Light With Sensor

SKU: 5570 - 4000K Day White

3800157617291

3W VT-8035


Sensor Compatible: **Sensor Included**Voltage/Frequency: **AC:100-240V, 50/60Hz**Luminous Flux: **100lm**LED Type: **SMD**CRI: **>80**PF: **>0.5**Beam Angle: **45°**Body Type: **Die cast Aluminium**Color of Fixture: **White**Shape: **Square**Dimension: **85x85x42mm**Cutting Size: **85x85mm**Box Qty: **100 Pcs**

Steplight-Square

SKU: 1284 - 4000K Day White

3800157617307

3W VT-1143

Sensor Compatible: **Yes**Voltage/Frequency: **AC:85-265V,50/60Hz**Luminous Flux: **100lm**LED Type: **SMD**CRI: **>80**PF: **>0.5**Beam Angle: **83°**Body Type: **Die Cast Aluminium**Color of Fixture: **White**Shape: **Square**Dimension: **84x84x43mm**Cutting Size: **72x72mm**Box Qty: **100 Pcs**

Steplight-Square


SKU: 1209 - 3000K Warm White

3800157600255

SKU: 1210 - 4200K Day White

3800157600262

3W VT-1109

Sensor Compatible: **Yes**Voltage/Frequency: **AC:100-240V,50/60Hz**Luminous Flux: **120lm**LED Type: **COB**CRI: **>80**PF: **>0.5**Beam Angle: **15°**Body Type: **Aluminium**Color of Fixture: **White**Shape: **Square**Dimension: **80x80x51mm**Cutting Size: **62x62mm**Box Qty: **100 Pcs**

Steplight-Round


SKU: 1207 - 3000K Warm White

3800157600231

SKU: 1208 - 4200K Day White

3800157600248

3W VT-1109RD

Sensor Compatible: **Yes**Voltage/Frequency: **AC:100-240V,50/60Hz**Luminous Flux: **120lm**LED Type: **COB**CRI: **>80**PF: **>0.5**Beam Angle: **15°**Body Type: **Aluminium**Color of Fixture: **White**Shape: **Round**Dimension: **Ø80x51mm**Cutting Size: **Ø62mm**Box Qty: **100 Pcs**

Step Light-Rectangle-IP65
3W VT-1162-W

SKU: 1327 - 3000K Warm White 3800157620550
SKU: 1326 - 4000K Day White 3800157620543




Sensor Compatible:	Yes
Voltage/Frequency:	AC:100-240V,50/60Hz
Luminous Flux:	110lm
LED Type:	SMD
CRI:	>80
PF:	>0.5

Beam Angle:	55°
Body Type:	PC
Color of Fixture:	White
Shape:	Rectangle
Dimension:	230x80x28mm
Cutting Size:	N/A
Box Qty:	50 Pcs

Step Light-Rectangle-IP65
3W VT-1162-B

SKU: 1329 - 3000K Warm White 3800157620574
SKU: 1328 - 4000K Day White 3800157620567



Sensor Compatible:	Yes
Voltage/Frequency:	AC:100-240V,50/60Hz
Luminous Flux:	110lm
LED Type:	SMD
CRI:	>80
PF:	>0.5

Beam Angle:	55°
Body Type:	PC
Color of Fixture:	Black
Shape:	Rectangle
Dimension:	230x80x28mm
Cutting Size:	N/A
Box Qty:	50 Pcs

Step Light-Rectangle-IP65
3W VT-1162-G

SKU: 1331 - 3000K Warm White 3800157620598
SKU: 1330 - 4000K Day White 3800157620581




Sensor Compatible:	Yes
Voltage/Frequency:	AC:100-240V,50/60Hz
Luminous Flux:	110lm
LED Type:	SMD
CRI:	>80
PF:	>0.5

Beam Angle:	55°
Body Type:	PC
Color of Fixture:	Grey
Shape:	Rectangle
Dimension:	230x80x28mm
Cutting Size:	N/A
Box Qty:	50 Pcs

Step Light-Round-IP65
2W VT-1142-W

SKU: 1315 - 3000K Warm White 3800157620437
SKU: 1314 - 4000K Day White 3800157620420




Sensor Compatible:	Yes
Voltage/Frequency:	AC:100-240V,50/60Hz
Luminous Flux:	60lm
LED Type:	SMD
CRI:	>80
PF:	>0.5

Beam Angle:	55°
Body Type:	PC
Color of Fixture:	White
Shape:	Round
Dimension:	150x27mm
Cutting Size:	N/A
Box Qty:	50 Pcs

Step Light-Round-IP65
2W VT-1142-B

SKU: 1317 - 3000K Warm White 3800157620451
SKU: 1316 - 4000K Day White 3800157620444




Sensor Compatible:	Yes
Voltage/Frequency:	AC:100-240V,50/60Hz
Luminous Flux:	60lm
LED Type:	SMD
CRI:	>80
PF:	>0.5

Beam Angle:	55°
Body Type:	PC
Color of Fixture:	Black
Shape:	Round
Dimension:	150x27mm
Cutting Size:	N/A
Box Qty:	50 Pcs



Step Light-Round-IP65
2W VT-1142-G

SKU: 1319 - 3000K Warm White 3800157620475
SKU: 1318 - 4000K Day White 3800157620468




Sensor Compatible:	Yes
Voltage/Frequency:	AC:100-240V,50/60Hz
Luminous Flux:	60lm
LED Type:	SMD
CRI:	>80
PF	>0.5

Beam Angle:	55°
Body Type:	PC
Color of Fixture:	Grey
Shape:	Round
Dimension:	150x27mm
Cutting Size:	N/A
Box Qty:	50 Pcs



Step Light-Square-IP65
2W VT-1152-W

SKU: 1321 - 3000K Warm White 3800157620499
SKU: 1320 - 4000K Day White 3800157620482




Sensor Compatible:	Yes
Voltage/Frequency:	AC:100-240V,50/60Hz
Luminous Flux:	60lm
LED Type:	SMD
CRI:	>80
PF	>0.5

Beam Angle:	55°
Body Type:	PC
Color of Fixture:	White
Shape:	Square
Dimension:	124x124x27mm
Cutting Size:	N/A
Box Qty:	50 Pcs



Step Light-Square-IP65
2W VT-1152-B

SKU: 1323 - 3000K Warm White 3800157620512
SKU: 1322 - 4000K Day White 3800157620505




Sensor Compatible:	Yes
Voltage/Frequency:	AC:100-240V,50/60Hz
Luminous Flux:	60lm
LED Type:	SMD
CRI:	>80
PF	>0.5

Beam Angle:	55°
Body Type:	PC
Color of Fixture:	Black
Shape:	Square
Dimension:	124x124x27mm
Cutting Size:	N/A
Box Qty:	50 Pcs



Step Light-Square-IP65
2W VT-1152-G

SKU: 1325 - 3000K Warm White 3800157620536
SKU: 1324 - 4000K Day White 3800157620529



Sensor Compatible:	Yes
Voltage/Frequency:	AC:100-240V,50/60Hz
Luminous Flux:	60lm
LED Type:	SMD
CRI:	>80
PF	>0.5

Beam Angle:	55°
Body Type:	PC
Color of Fixture:	Grey
Shape:	Square
Dimension:	124x124x27mm
Cutting Size:	N/A
Box Qty:	50 Pcs



Step Light - IP65
3W VT-1172-B

SKU: 1398 - 3000K Warm White 3800157628310
SKU: 1399 - 4000K Day White 3800157628327



Sensor Compatible:	Yes
Voltage/Frequency:	AC:100-240V,50/60Hz
Luminous Flux:	210lm
LED Type:	SMD
CRI:	>80
PF	>0.5

Beam Angle:	90°
Body Type:	PC
Color of Fixture:	Black
Shape:	Square
Dimension:	151x72x154mm
Cutting Size:	N/A
Box Qty:	20 Pcs



Step Light - IP65
3W VT-1172-G

SKU: 1400 - 3000K Warm White 3800157628334
SKU: 1401 - 4000K Day White 3800157628341



Sensor Compatible:	Yes
Voltage/Frequency:	AC:100-240V,50/60Hz
Luminous Flux:	210lm
LED Type:	SMD
CRI:	>80
PF	>0.5

Beam Angle:	90°
Body Type:	PC
Color of Fixture:	Grey
Shape:	Square
Dimension:	151x72x154mm
Cutting Size:	N/A
Box Qty:	20 Pcs



Step Light - IP65
3W VT-1172-W

SKU: 1402 - 3000K Warm White 3800157628358
SKU: 1403 - 4000K Day White 3800157628365



Sensor Compatible:	Yes
Voltage/Frequency:	AC:100-240V,50/60Hz
Luminous Flux:	210lm
LED Type:	SMD
CRI:	>80
PF	>0.5

Beam Angle:	90°
Body Type:	PC
Color of Fixture:	White
Shape:	Square
Dimension:	151x72x154mm
Cutting Size:	N/A
Box Qty:	20 Pcs



Step Light-Round-IP65
3W VT-1182-B

SKU: 1404 - 3000K Warm White 3800157628372
SKU: 1405 - 4000K Day White 3800157628389



Sensor Compatible:	Yes
Voltage/Frequency:	AC:100-240V,50/60Hz
Luminous Flux:	210lm
LED Type:	SMD
CRI:	>80
PF	>0.5

Beam Angle:	90°
Body Type:	PC
Color of Fixture:	Black
Shape:	Round
Dimension:	Ø166x94mm
Cutting Size:	N/A
Box Qty:	20 Pcs



Step Light-Round-IP65
3W VT-1182-G

SKU: 1406 - 3000K Warm White 3800157628396
SKU: 1407 - 4000K Day White 3800157628402



Sensor Compatible:	Yes
Voltage/Frequency:	AC:100-240V,50/60Hz
Luminous Flux:	210lm
LED Type:	SMD
CRI:	>80
PF	>0.5

Beam Angle:	90°
Body Type:	PC
Color of Fixture:	Grey
Shape:	Round
Dimension:	Ø166x94mm
Cutting Size:	N/A
Box Qty:	20 Pcs



Step Light-Round-IP65
3W VT-1182-W



Sensor Compatible:	Yes
Voltage/Frequency:	AC:100-240V,50/60Hz
Luminous Flux:	210lm
LED Type:	SMD
CRI:	>80
PF	>0.5

Beam Angle:	90°
Body Type:	PC
Color of Fixture:	White
Shape:	Round
Dimension:	Ø166x94mm
Cutting Size:	N/A
Box Qty:	20 Pcs



Steplight-Rectangle
6W VT-856-B



Sensor Compatible:	Yes
Voltage/Frequency:	AC:100-240V,50/60Hz
Luminous Flux:	240lm
LED Type:	SMD
CRI:	>70
PF	>0.6

Beam Angle:	120°
Body Type:	Aluminium
Color of Fixture:	Black
Shape:	Rectangle
Dimension:	210x65x60mm
Cutting Size:	195x46mm
Box Qty:	50 Pcs

Steplight-Rectangle
6W VT-856-G



Sensor Compatible:	Yes
Voltage/Frequency:	AC:100-240V,50/60Hz
Luminous Flux:	240lm
LED Type:	SMD
CRI:	>70
PF	>0.6

Beam Angle:	120°
Body Type:	Aluminium
Color of Fixture:	Grey
Shape:	Rectangle
Dimension:	210x65x60mm
Cutting Size:	195x46mm
Box Qty:	50 Pcs

Steplight-Rectangle
6W VT-856-W



Sensor Compatible:	Yes
Voltage/Frequency:	AC:100-240V,50/60Hz
Luminous Flux:	240lm
LED Type:	SMD
CRI:	>70
PF	>0.6

Beam Angle:	120°
Body Type:	Aluminium
Color of Fixture:	White
Shape:	Rectangle
Dimension:	210x65x60mm
Cutting Size:	195x46mm
Box Qty:	50 Pcs