

Verification of Conformity

RoHS Directive 2011/65/EU

Certification No. : QTS800522217
Test Report Ref. No. : 61.15.22.0433.01

Holder Of Certificate : V-TAC EXPORTS LIMITED
ROOM NO 301, KAM ON BUILDING, 176A QUEENS ROAD CENTRAL,
CENTRAL, HONG KONG

Factory : GUANGDONG COOPER OPTOELECTRONICS INCORPORATED CO.,
LTD.
NO.5 BUILDING 7, NO.27 OF HIGH-TECH EAST ROAD, JIANGHAI
DISTRICT, JIANGMEN CITY, GUANGDONG CHINA

Product: LED Strip Light
Model No. : See model list

Standards : IEC 62321-3-1:2013; IEC 62321-4:2013+A1:2017
IEC 62321-5:2013; IEC 62321-7-1:2015;
IEC 62321-7-2:2017; IEC 62321-6:2015;
EN ISO 17075-1:2017; IEC 62321-8:2017

The statement is based on a single evaluation of one sample of above mentioned products. It does not imply an assessment of the whole production and does not permit the use of the test lab. Logo.

The manufacturer should ensure that all products in series production are in conformity with the product sample detailed in this report. The applicant should hold the whole technical report at disposal of the competent all the right.

Issued Date: 2022-11-08

Arvin Hu

Chief Director



RoHS




Verification of Conformity

RoHS Directive 2011/65/EU

Original Registration (Report) No.: 61.15.22.0433.01

Model list

Model	Input	Power	Length
12V-2835-60L-IP20-3.2W	12VDC	3.2W/m	Max. 5m
12V-2835-60L-IP20	12VDC	4.2W/m	Max. 5m
12V-2835-60L-IP20-5W	12VDC	5W/m	Max. 5m
12V-2835-120L-IP20	12VDC	8W/m	Max. 5m
12V-2835-120L-IP20-10W	12VDC	10W/m	Max. 5m
12V-2835-120L-IP20-12W	12VDC	12W/m	Max. 5m
12V-2835-120L-IP20-14W	12VDC	14W/m	Max. 5m
12V-2835-168L-IP20	12VDC	13W/m	Max. 5m
12V-2835-180L-IP20	12VDC	14W/m	Max. 5m
12V-2835-192L-IP20	12VDC	16W/m	Max. 5m
12V-2835-204L-IP20	12VDC	17W/m	Max. 5m
12V-2835-240L-IP20-17W	12VDC	17W/m	Max. 5m
12V-2835-240L-IP20	12VDC	20W/m	Max. 5m
12V-5050-30L-IP20-RGB	12VDC	4W/m	Max. 5m
12V-5050-30L-IP20	12VDC	6W/m	Max. 5m
12V-5050-60L-IP20-RGB	12VDC	7W/m	Max. 5m
12V-5050-60L-IP20-8W	12VDC	8W/m	Max. 5m
12V-5050-60L-IP20	12VDC	11W/m	Max. 5m
12V-5050-60L-IP20-15W	12VDC	15W/m	Max. 5m
12V-5050-72L-IP20	12VDC	12W/m	Max. 5m
12V-5050-96L-IP20	12VDC	15W/m	Max. 5m
12V-5050-120L-IP20	12VDC	20W/m	Max. 5m
12V-4040-60L-IP20	12VDC	8W/m	Max. 5m
12V-5730-120L-IP20	12VDC	20W/m	Max. 5m
12V-2835-60L-IP65-3.2W	12VDC	3.2W/m	Max. 5m
12V-2835-60L-IP65	12VDC	4.2W/m	Max. 5m
12V-2835-60L-IP65-5W	12VDC	5W/m	Max. 5m
12V-2835-120L-IP65	12VDC	8W/m	Max. 5m
12V-2835-120L-IP65-10W	12VDC	10W/m	Max. 5m
12V-2835-120L-IP65-12W	12VDC	12W/m	Max. 5m
12V-2835-120L-IP65-14W	12VDC	14W/m	Max. 5m



Guangzhou Quality Technology Service Co., Ltd.

Website: www.qts-global.com

E-mail: info@qts-global.com

Room 106, R&D Center, No.11, Nanyunwu Road, High-tech

Industry Development Zone, Guangzhou, Guangdong, China

Tel: 020-8251 2836


Verification of Conformity

RoHS Directive 2011/65/EU

Original Registration (Report) No.: 61.15.22.0433.01

Model list

Model	Input	Power	Length
12V-2835-168L-IP65	12VDC	13W/m	Max. 5m
12V-2835-180L-IP65	12VDC	14W/m	Max. 5m
12V-2835-192L-IP65	12VDC	16W/m	Max. 5m
12V-2835-204L-IP65	12VDC	17W/m	Max. 5m
12V-2835-240L-IP65-17W	12VDC	17W/m	Max. 5m
12V-2835-240L-IP65	12VDC	20W/m	Max. 5m
12V-5050-30L-IP65-RGB	12VDC	4W/m	Max. 5m
12V-5050-30L-IP65	12VDC	6W/m	Max. 5m
12V-5050-60L-IP65-RGB	12VDC	7W/m	Max. 5m
12V-5050-60L-IP65-8W	12VDC	8W/m	Max. 5m
12V-5050-60L-IP65	12VDC	11W/m	Max. 5m
12V-5050-60L-IP65-15W	12VDC	15W/m	Max. 5m
12V-5050-72L-IP65	12VDC	12W/m	Max. 5m
12V-5050-96L-IP65	12VDC	15W/m	Max. 5m
12V-5050-120L-IP65	12VDC	20W/m	Max. 5m
12V-4040-60L-IP65	12VDC	8W/m	Max. 5m
12V-5730-120L-IP65	12VDC	20W/m	Max. 5m
24V-2835-60L-IP20-3.2W	24VDC	3.2W/m	Max. 30m
24V-2835-60L-IP20	24VDC	4.2W/m	Max. 30m
24V-2835-60L-IP20-5W	24VDC	5W/m	Max. 30m
24V-2835-90L-IP20	24VDC	4W/m	Max. 30m
24V-2835-120L-IP20	24VDC	8W/m	Max. 30m
24V-2835-120L-IP20-10W	24VDC	10W/m	Max. 30m
24V-2835-120L-IP20-12W	24VDC	12W/m	Max. 30m
24V-2835-120L-IP20-14W	24VDC	14W/m	Max. 30m
24V-2835-126L-IP20	24VDC	8W/m	Max. 30m
24V-2835-128L-IP20	24VDC	9W/m	Max. 30m
24V-2835-168L-IP20	24VDC	12W/m	Max. 30m
24V-2835-238L-IP20	24VDC	18W/m	Max. 30m
24V-2835-180L-IP20	24VDC	14W/m	Max. 30m



Guangzhou Quality Technology Service Co., Ltd.

Website: www.qts-global.com

E-mail : info@qts-global.com

Room 106, R&D Center, No.11, Nanyunwu Road, High-tech

Industry Development Zone, Guangzhou, Guangdong, China

Tel :020-8251 2836


Verification of Conformity

RoHS Directive 2011/65/EU

Original Registration (Report) No.: 61.15.22.0433.01

Model list

Model	Input	Power	Length
24V-2835-192L-IP20	24VDC	16W/m	Max. 30m
24V-2835-204L-IP20	24VDC	17W/m	Max. 30m
24V-2835-240L-IP20-15W	24VDC	15W/m	Max. 30m
24V-2835-240L-IP20-18W	24VDC	18W/m	Max. 30m
24V-2835-240L-IP20	24VDC	20W/m	Max. 30m
24V-2835-360L-IP20	24VDC	28W/m	Max. 30m
24V-2835-378L-IP20	24VDC	35W/m	Max. 30m
24V-2835-504L-IP20	24VDC	45W/m	Max. 30m
24V-5050-30L-IP20-RGB	24VDC	4W/m	Max. 30m
24V-5050-30L-IP20	24VDC	6W/m	Max. 30m
24V-5050-60L-IP20-RGB	24VDC	7W/m	Max. 30m
24V-5050-60L-IP20-8W	24VDC	8W/m	Max. 30m
24V-5050-60L-IP20	24VDC	10W/m	Max. 30m
24V-5050-60L-IP20-11W	24VDC	11W/m	Max. 30m
24V-5050-60L-IP20-15W	24VDC	15W/m	Max. 30m
24V-5050-60L-IP20-24W	24VDC	24W/m	Max. 30m
24V-5050-72L-IP20	24VDC	12W/m	Max. 30m
24V-5050-96L-IP20	24VDC	15W/m	Max. 30m
24V-5050-120L-IP20	24VDC	20W/m	Max. 30m
24V-4040-60L-IP20	24VDC	8W/m	Max. 30m
24V-5730-120L-IP20	24VDC	20W/m	Max. 30m
24V-2216-364L-IP20	24VDC	30W/m	Max. 30m
24V-2110-238L-IP20	24VDC	10W/m	Max. 30m
24V-2110-350L-IP20	24VDC	18W/m	Max. 30m
24V-2110-560L-IP20	24VDC	20W/m	Max. 30m
24V-2110-700L-IP20	24VDC	21W/m	Max. 30m
24V-2835-60L-IP65-3.2W	24VDC	3.2W/m	Max. 30m
24V-2835-60L-IP65	24VDC	4.2W/m	Max. 30m
24V-2835-60L-IP65-5W	24VDC	5W/m	Max. 30m
24V-2835-90L-IP65	24VDC	4W/m	Max. 30m
24V-2835-120L-IP65	24VDC	8W/m	Max. 30m



Guangzhou Quality Technology Service Co., Ltd.

Website: www.qts-global.com

E-mail : info@qts-global.com

Room 106, R&D Center, No.11, Nanyunwu Road, High-tech

Industry Development Zone, Guangzhou, Guangdong, China

Tel :020-8251 2836


Verification of Conformity

RoHS Directive 2011/65/EU

Original Registration (Report) No.: 61.15.22.0433.01

Model list

Model	Input	Power	Length
24V-2835-120L-IP65-10W	24VDC	10W/m	Max. 30m
24V-2835-120L-IP65-12W	24VDC	12W/m	Max. 30m
24V-2835-120L-IP65-14W	24VDC	14W/m	Max. 30m
24V-2835-126L-IP65	24VDC	8W/m	Max. 30m
24V-2835-128L-IP65	24VDC	9W/m	Max. 30m
24V-2835-168L-IP65	24VDC	12W/m	Max. 30m
24V-2835-238L-IP65	24VDC	18W/m	Max. 30m
24V-2835-180L-IP65	24VDC	14W/m	Max. 30m
24V-2835-192L-IP65	24VDC	16W/m	Max. 30m
24V-2835-204L-IP65	24VDC	17W/m	Max. 30m
24V-2835-240L-IP65-15W	24VDC	15W/m	Max. 30m
24V-2835-240L-IP65-18W	24VDC	18W/m	Max. 30m
24V-2835-240L-IP65	24VDC	20W/m	Max. 30m
24V-2835-360L-IP65	24VDC	28W/m	Max. 30m
24V-2835-378L-IP65	24VDC	35W/m	Max. 30m
24V-2835-504L-IP65	24VDC	45W/m	Max. 30m
24V-5050-30L-IP65-RGB	24VDC	4W/m	Max. 30m
24V-5050-30L-IP65	24VDC	6W/m	Max. 30m
24V-5050-60L-IP65-RGB	24VDC	7W/m	Max. 30m
24V-5050-60L-IP65-8W	24VDC	8W/m	Max. 30m
24V-5050-60L-IP65	24VDC	10W/m	Max. 30m
24V-5050-60L-IP65-11W	24VDC	11W/m	Max. 30m
24V-5050-60L-IP65-15W	24VDC	15W/m	Max. 30m
24V-5050-60L-IP65-24W	24VDC	24W/m	Max. 30m
24V-5050-72L-IP65	24VDC	12W/m	Max. 30m
24V-5050-96L-IP65	24VDC	15W/m	Max. 30m
24V-5050-120L-IP65	24VDC	20W/m	Max. 30m
24V-4040-60L-IP65	24VDC	8W/m	Max. 30m
24V-5730-120L-IP65	24VDC	20W/m	Max. 30m



Guangzhou Quality Technology Service Co., Ltd.

Website: www.qts-global.com

E-mail : info@qts-global.com

Room 106, R&D Center, No.11, Nanyunwu Road, High-tech

Industry Development Zone, Guangzhou, Guangdong, China

Tel :020-8251 2836


Verification of Conformity

RoHS Directive 2011/65/EU

Original Registration (Report) No.: 61.15.22.0433.01

Model list

Model	Input	Power	Length
24V-2216-364L-IP65	24VDC	30W/m	Max. 30m
24V-2110-238L-IP65	24VDC	10W/m	Max. 30m
24V-2110-350L-IP65	24VDC	18W/m	Max. 30m
24V-2110-560L-IP65	24VDC	20W/m	Max. 30m
24V-2110-700L-IP65	24VDC	21W/m	Max. 30m



Guangzhou Quality Technology Service Co., Ltd.

Website: www.qts-global.com

E-mail: info@qts-global.com

Room 106, R&D Center, No.11, Nanyunwu Road, High-tech
Industry Development Zone, Guangzhou, Guangdong, China

Tel :020-8251 2836