

Verification of Conformity

EMC Directive 2014/30/EU

Certification No. : QTS800222215

Test Report Ref. No. : 61.12.22.0431.01

Holder Of Certificate : V-TAC EXPORTS LIMITED
ROOM NO 301,KAM ON BUILDING,176A QUEENS ROAD CENTRAL,
CENTRAL,HONG KONG

Factory : GUANGDONG COOPER OPTOELECTRONICS INCORPORATED CO.,
LTD.
NO.5 BUILDING 7, NO.27 OF HIGH-TECH EAST ROAD, JIANGHAI
DISTRICT, JIANGMEN CITY, GUANGDONG CHINA

Product : LED Strip Light

Model No. : See model list

Rating: 24VDC, Class III, others see model list

Standards : EN IEC 55015:2019+A11:2020
EN 61547:2009
EN IEC 61000-3-2:2019+ A1:2021
EN 61000-3-3:2013+A1:2019+A2:2021

The statement is based on a single evaluation of one sample of above mentioned products. It does not imply an assessment of the whole production and does not permit the use of the test lab. Logo.

The manufacturer should ensure that all products in series production are in conformity with the product sample detailed in this report. The applicant should hold the whole technical report at disposal of the competent all the right.

Issued Date: 2022-11-08

Crystal Xie

Chief Director



After preparation of the necessary technical documentation as well as the conformity declaration the required CE mark can be affixed on the product. Other relevant directives have to be observed.



Guangzhou Quality Technology Service Co., Ltd.

Website: www.qts-global.com

E-mail : info@qts-global.com

Room 106, R&D Center, No.11, Nanyunwu Road, High-tech

Industry Development Zone, Guangzhou, Guangdong, China

Tel :020-8251 2836


Verification of Conformity

EMC Directive 2014/30/EU

Original Registration (Report) No.: 61.12.22.0431.01

Model list

| Model | Input | Rated Power | Length |
|------------------------|-------|-------------|----------|
| 24V-2835-60L-IP20-3.2W | 24VDC | 3.2W/m | Max. 30m |
| 24V-2835-60L-IP20 | 24VDC | 4.2W/m | Max. 30m |
| 24V-2835-60L-IP20-5W | 24VDC | 5W/m | Max. 30m |
| 24V-2835-90L-IP20 | 24VDC | 4W/m | Max. 30m |
| 24V-2835-120L-IP20 | 24VDC | 8W/m | Max. 30m |
| 24V-2835-120L-IP20-10W | 24VDC | 10W/m | Max. 30m |
| 24V-2835-120L-IP20-12W | 24VDC | 12W/m | Max. 30m |
| 24V-2835-120L-IP20-14W | 24VDC | 14W/m | Max. 30m |
| 24V-2835-126L-IP20 | 24VDC | 8W/m | Max. 30m |
| 24V-2835-128L-IP20 | 24VDC | 9W/m | Max. 30m |
| 24V-2835-168L-IP20 | 24VDC | 12W/m | Max. 30m |
| 24V-2835-238L-IP20 | 24VDC | 18W/m | Max. 30m |
| 24V-2835-180L-IP20 | 24VDC | 14W/m | Max. 30m |
| 24V-2835-192L-IP20 | 24VDC | 16W/m | Max. 30m |
| 24V-2835-204L-IP20 | 24VDC | 17W/m | Max. 30m |
| 24V-2835-240L-IP20-15W | 24VDC | 15W/m | Max. 30m |
| 24V-2835-240L-IP20-18W | 24VDC | 18W/m | Max. 30m |
| 24V-2835-240L-IP20 | 24VDC | 20W/m | Max. 30m |
| 24V-2835-360L-IP20 | 24VDC | 28W/m | Max. 30m |
| 24V-2835-378L-IP20 | 24VDC | 35W/m | Max. 30m |
| 24V-2835-504L-IP20 | 24VDC | 45W/m | Max. 30m |
| 24V-5050-30L-IP20-RGB | 24VDC | 4W/m | Max. 30m |
| 24V-5050-30L-IP20 | 24VDC | 6W/m | Max. 30m |
| 24V-5050-60L-IP20-RGB | 24VDC | 7W/m | Max. 30m |
| 24V-5050-60L-IP20-8W | 24VDC | 8W/m | Max. 30m |
| 24V-5050-60L-IP20 | 24VDC | 10W/m | Max. 30m |
| 24V-5050-60L-IP20-11W | 24VDC | 11W/m | Max. 30m |
| 24V-5050-60L-IP20-15W | 24VDC | 15W/m | Max. 30m |
| 24V-5050-60L-IP20-24W | 24VDC | 24W/m | Max. 30m |



Guangzhou Quality Technology Service Co., Ltd.

Website: www.qts-global.com

E-mail : info@qts-global.com

Room 106, R&D Center, No.11, Nanyunwu Road, High-tech

Industry Development Zone, Guangzhou, Guangdong, China

Tel :020-8251 2836


Verification of Conformity

EMC Directive 2014/30/EU

Original Registration (Report) No.: 61.12.22.0431.01

Model list

| Model | Input | Rated Power | Length |
|------------------------|-------|-------------|----------|
| 24V-5050-72L-IP20 | 24VDC | 12W/m | Max. 30m |
| 24V-5050-96L-IP20 | 24VDC | 15W/m | Max. 30m |
| 24V-5050-120L-IP20 | 24VDC | 20W/m | Max. 30m |
| 24V-4040-60L-IP20 | 24VDC | 8W/m | Max. 30m |
| 24V-5730-120L-IP20 | 24VDC | 20W/m | Max. 30m |
| 24V-2216-364L-IP20 | 24VDC | 30W/m | Max. 30m |
| 24V-2110-238L-IP20 | 24VDC | 10W/m | Max. 30m |
| 24V-2110-350L-IP20 | 24VDC | 18W/m | Max. 30m |
| 24V-2110-560L-IP20 | 24VDC | 20W/m | Max. 30m |
| 24V-2110-700L-IP20 | 24VDC | 21W/m | Max. 30m |
| 24V-2835-60L-IP65-3.2W | 24VDC | 3.2W/m | Max. 30m |
| 24V-2835-60L-IP65 | 24VDC | 4.2W/m | Max. 30m |
| 24V-2835-60L-IP65-5W | 24VDC | 5W/m | Max. 30m |
| 24V-2835-90L-IP65 | 24VDC | 4W/m | Max. 30m |
| 24V-2835-120L-IP65 | 24VDC | 8W/m | Max. 30m |
| 24V-2835-120L-IP65-10W | 24VDC | 10W/m | Max. 30m |
| 24V-2835-120L-IP65-12W | 24VDC | 12W/m | Max. 30m |
| 24V-2835-120L-IP65-14W | 24VDC | 14W/m | Max. 30m |
| 24V-2835-126L-IP65 | 24VDC | 8W/m | Max. 30m |
| 24V-2835-128L-IP65 | 24VDC | 9W/m | Max. 30m |
| 24V-2835-168L-IP65 | 24VDC | 12W/m | Max. 30m |
| 24V-2835-238L-IP65 | 24VDC | 18W/m | Max. 30m |
| 24V-2835-180L-IP65 | 24VDC | 14W/m | Max. 30m |
| 24V-2835-192L-IP65 | 24VDC | 16W/m | Max. 30m |
| 24V-2835-204L-IP65 | 24VDC | 17W/m | Max. 30m |
| 24V-2835-240L-IP65-15W | 24VDC | 15W/m | Max. 30m |
| 24V-2835-240L-IP65-18W | 24VDC | 18W/m | Max. 30m |



Guangzhou Quality Technology Service Co., Ltd.

Website: www.qts-global.com

E-mail : info@qts-global.com

Room 106, R&D Center, No.11, Nanyunwu Road, High-tech

Industry Development Zone, Guangzhou, Guangdong, China

Tel :020-8251 2836

Verification of Conformity

EMC Directive 2014/30/EU

Original Registration (Report) No.: 61.12.22.0431.01

Model list

| Model | Input | Rated Power | Length |
|-----------------------|-------|-------------|----------|
| 24V-2835-240L-IP65 | 24VDC | 20W/m | Max. 30m |
| 24V-2835-360L-IP65 | 24VDC | 28W/m | Max. 30m |
| 24V-2835-378L-IP65 | 24VDC | 35W/m | Max. 30m |
| 24V-2835-504L-IP65 | 24VDC | 45W/m | Max. 30m |
| 24V-5050-30L-IP65-RGB | 24VDC | 4W/m | Max. 30m |
| 24V-5050-30L-IP65 | 24VDC | 6W/m | Max. 30m |
| 24V-5050-60L-IP65-RGB | 24VDC | 7W/m | Max. 30m |
| 24V-5050-60L-IP65-8W | 24VDC | 8W/m | Max. 30m |
| 24V-5050-60L-IP65 | 24VDC | 10W/m | Max. 30m |
| 24V-5050-60L-IP65-11W | 24VDC | 11W/m | Max. 30m |
| 24V-5050-60L-IP65-15W | 24VDC | 15W/m | Max. 30m |
| 24V-5050-60L-IP65-24W | 24VDC | 24W/m | Max. 30m |
| 24V-5050-72L-IP65 | 24VDC | 12W/m | Max. 30m |
| 24V-5050-96L-IP65 | 24VDC | 15W/m | Max. 30m |
| 24V-5050-120L-IP65 | 24VDC | 20W/m | Max. 30m |
| 24V-4040-60L-IP65 | 24VDC | 8W/m | Max. 30m |
| 24V-5730-120L-IP65 | 24VDC | 20W/m | Max. 30m |
| 24V-2216-364L-IP65 | 24VDC | 30W/m | Max. 30m |
| 24V-2110-238L-IP65 | 24VDC | 10W/m | Max. 30m |
| 24V-2110-350L-IP65 | 24VDC | 18W/m | Max. 30m |
| 24V-2110-560L-IP65 | 24VDC | 20W/m | Max. 30m |
| 24V-2110-700L-IP65 | 24VDC | 21W/m | Max. 30m |



Guangzhou Quality Technology Service Co., Ltd.

Website: www.qts-global.com

E-mail : info@qts-global.com

Room 106, R&D Center, No.11, Nanyunwu Road, High-tech
Industry Development Zone, Guangzhou, Guangdong, China

Tel :020-8251 2836