

# Verification of Conformity

## LVD Directive 2014/30/EU

Certification No. : QTS800122211  
Test Report Ref. No. : 61.11.22.0427.01

Holder Of Certificate : V-TAC EXPORTS LIMITED  
ROOM NO 301, KAM ON BUILDING, 176A QUEENS ROAD CENTRAL,  
CENTRAL, HONG KONG

Factory : GUANGDONG COOPER OPTOELECTRONICS INCORPORATED CO.,  
LTD.  
NO.5 BUILDING 7, NO.27 OF HIGH-TECH EAST ROAD, JIANGHAI  
DISTRICT, JIANGMEN CITY, GUANGDONG CHINA

Product : LED STRIP LIGHT  
Model No. : See model list  
Rating: 24VDC, Class III, IP20, ta: 25°C, other see the model list.

Standards : EN 60598-2-20:2015+A1:2017  
EN IEC 60598-1:2021+A11:2022  
EN 62493:2015

The statement is based on a single evaluation of one sample of above mentioned products. It does not imply an assessment of the whole production and does not permit the use of the test lab. Logo.

The manufacturer should ensure that all products in series production are in conformity with the product sample detailed in this report. The applicant should hold the whole technical report at disposal of the competent all the right.

Issued Date: 2022-11-08

Arvin Hu

Chief Director



After preparation of the necessary technical documentation as well as the conformity declaration the required CE mark can be affixed on the product. Other relevant directives have to be observed.



# Verification of Conformity

**LVD Directive 2014/35/EU**

Original Registration (Report) No.: 61.11.22.0427.01

Model list

No.	Model	Input	Rated Power	Length
1	24V-2835-60L-IP20-3.2W	24VDC	3.2W/m	Max.30m
2	24V-2835-60L-IP20	24VDC	4.2W/m	Max.30m
3	24V-2835-60L-IP20-5W	24VDC	5W/m	Max.30m
4	24V-2835-90L-IP20	24VDC	4W/m	Max.30m
5	24V-2835-120L-IP20	24VDC	8W/m	Max.30m
6	24V-2835-120L-IP20-10W	24VDC	10W/m	Max.30m
7	24V-2835-120L-IP20-12W	24VDC	12W/m	Max.30m
8	24V-2835-120L-IP20-14W	24VDC	14W/m	Max.30m
9	24V-2835-126L-IP20	24VDC	8W/m	Max.30m
10	24V-2835-128L-IP20	24VDC	9W/m	Max.30m
11	24V-2835-168L-IP20	24VDC	12W/m	Max.30m
12	24V-2835-238L-IP20	24VDC	18W/m	Max.30m
13	24V-2835-180L-IP20	24VDC	14W/m	Max.30m
14	24V-2835-192L-IP20	24VDC	16W/m	Max.30m
15	24V-2835-204L-IP20	24VDC	17W/m	Max.30m
16	24V-2835-240L-IP20-15W	24VDC	15W/m	Max.30m
17	24V-2835-240L-IP20-18W	24VDC	18W/m	Max.30m
18	24V-2835-240L-IP20	24VDC	20W/m	Max.30m
19	24V-2835-360L-IP20	24VDC	28W/m	Max.30m
20	24V-2835-378L-IP20	24VDC	35W/m	Max.30m
21	24V-2835-504L-IP20	24VDC	45W/m	Max.30m
22	24V-5050-30L-IP20-RGB	24VDC	4W/m	Max.30m
23	24V-5050-30L-IP20	24VDC	6W/m	Max.30m
24	24V-5050-60L-IP20-RGB	24VDC	7W/m	Max.30m
25	24V-5050-60L-IP20-8W	24VDC	8W/m	Max.30m
26	24V-5050-60L-IP20	24VDC	10W/m	Max.30m
27	24V-5050-60L-IP20-11W	24VDC	11W/m	Max.30m
28	24V-5050-60L-IP20-15W	24VDC	15W/m	Max.30m
29	24V-5050-60L-IP20-24W	24VDC	24W/m	Max.30m
30	24V-5050-72L-IP20	24VDC	12W/m	Max.30m



Guangzhou Quality Technology Service Co., Ltd.


Website: [www.qts-global.com](http://www.qts-global.com)

E-mail : [info@qts-global.com](mailto:info@qts-global.com)

Room 106, R&D Center, No.11, Nanyunwu Road, High-tech

Industry Development Zone, Guangzhou, Guangdong, China

Tel :020-8251 2836



# Verification of Conformity

**LVD Directive 2014/35/EU**

Original Registration (Report) No.: 61.11.22.0427.01

Model list

No.	Model	Input	Rated Power	Length
31	24V-5050-96L-IP20	24VDC	15W/m	Max.30m
32	24V-5050-120L-IP20	24VDC	20W/m	Max.30m
33	24V-4040-60L-IP20	24VDC	8W/m	Max.30m
34	24V-5730-120L-IP20	24VDC	20W/m	Max.30m
35	24V-2216-364L-IP20	24VDC	30W/m	Max.30m
36	24V-2110-238L-IP20	24VDC	10W/m	Max.30m
37	24V-2110-350L-IP20	24VDC	18W/m	Max.30m
38	24V-2110-560L-IP20	24VDC	20W/m	Max.30m
39	24V-2110-700L-IP20	24VDC	21W/m	Max.30m



Guangzhou Quality Technology Service Co., Ltd.

Website: [www.qts-global.com](http://www.qts-global.com)

E-mail : [info@qts-global.com](mailto:info@qts-global.com)

Room 106, R&D Center, No.11, Nanyunwu Road, High-tech

Industry Development Zone, Guangzhou, Guangdong, China

Tel :020-8251 2836